

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	8	"6163225"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 09:20
L2	2	"6163325"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 09:21
L3	16	"6067568"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 09:22
S67	19	(gps or (global with position\$4)) same (identify\$3 identif\$4) with map same download\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/31 11:39
S68	297	(gps or (global with position\$4)) with map same download\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/31 11:39
S69	285	(gps or (global with position\$4)) same map with download\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/31 12:10
S70	12	(gps or (global with position\$4)) same map with download\$3 same automat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/31 12:04
S71	9	(gps or (global with position\$4)) same map with download\$3 same automat\$3 and (identification identifier id)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/31 12:05
S72	152	(gps or (global with position\$4)) same map with download\$3 and (identification identifier id)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/31 12:20

S73	75	(gps or (global with position\$4)) same map with download\$3 and (identification identifier id) with (relat\$3 associat\$3 correspond\$3 based basis)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/31 13:06
S74	29	(gps or (global with position\$4)) same map with download\$3 and (identification identifier id) with (relat\$3 associat\$3 correspond\$3 based basis) same (server provider base authority center)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 10:28
S75	386	e-mail with (automatic\$5 automat\$3) with (install\$5 configur\$3 upgrad\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 10:29
S76	68	(input\$4 receiv\$3 enter\$3 send\$3) near2 (e-mail) with (automatic\$5 automat\$3) with (install\$5 configur\$3 upgrad\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 10:55
S77	2	(input\$4 receiv\$3 enter\$3 send\$3) near2 (e-mail identifier id identification) with (automatic\$5 automat\$3) with (install\$5 configur\$3 upgrad\$3 modify\$3) near3 (device)near3 (host computer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 10:56
S78	2	(input\$4 receiv\$3 enter\$3 send\$3) near2 (e-mail identifier id identification) with (automatic\$5 automat\$3) same (install\$5 configur\$3 upgrad\$3 modify\$3) near3 (device)near3 (host computer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 10:56
S79	4	(input\$4 receiv\$3 enter\$3 send\$3) near2 (e-mail identifier id identification serial) with (automatic\$5 automat\$3) same (install\$5 configur\$3 upgrad\$3 modify\$3) near3 (device)near3 (host computer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 10:56
S80	4	(input\$4 receiv\$3 enter\$3 send\$3) near2 (e-mail identifier id identification serial) with (automatic\$5 automat\$3) same (install\$5 configur\$3 upgrad\$3 modify\$3 updat\$3) near3 (device)near3 (host computer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 10:57

S81	473	(input\$4 receiv\$3 enter\$3 send\$3) near2 (e-mail identifier id identification serial) with (automatic\$5 automat\$3) with (install\$5 configur\$3 upgrad\$3 modify\$3 updat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 10:59
S82	21	(input\$4 receiv\$3 enter\$3 send\$3) near2 (e-mail identifier id identification serial) with (automatic\$5 automat\$3) with (install\$5 configur\$3 upgrad\$3 modify\$3 updat\$3) and "713"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 11:06
S83	141	(input\$4 receiv\$3 enter\$3 send\$3) near2 (e-mail identifier id identification serial) with (automatic\$5 automat\$3) with (install\$5 configur\$3 upgrad\$3 modify\$3 updat\$3) and ("713"/\$.ccls or "709"/\$.ccls. or "726"/\$.ccls. or "705"/\$.ccls.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 11:24
S84	41	(input\$4 receiv\$3 enter\$3 send\$3) near2 (e-mail identifier id identification serial) same (automatic\$5 automat\$3) with (install\$5 configur\$3 upgrad\$3 modify\$3 updat\$3) and "713"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 11:06
S85	5	(input\$4 receiv\$3 enter\$3 send\$3) near2 (e-mail identifier id identification serial) with (automatic\$5 automat\$3) with (install\$5 configur\$3 upgrad\$3 modify\$3 updat\$3) and migration	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 11:33
S86	15	(input\$4 receiv\$3 enter\$3 send\$3) near2 (e-mail identifier id identification serial) same (automatic\$5 automat\$3) with (install\$5 configur\$3 upgrad\$3 modify\$3 updat\$3) and migration	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 11:34
S87	5264	(install\$5) and configur\$3 and (upgrad\$3 modify\$3 updat\$3) and (input\$4 receiv\$3 enter\$3 send\$3) near2 (e-mail identifier id identification serial) and (automatic\$5 automat\$3) with (install\$5 configur\$3 upgrad\$3 modify\$3 updat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 11:36

S88	1367	(install\$5) and configur\$3 and (upgrad\$3 modify\$3 updat\$3) and (input\$4 receiv\$3 enter\$3 send\$3) near2 (e-mail identifier id identification serial) and (automatic\$5 automat\$3) with (install\$5 configur\$3 upgrad\$3 modify\$3 updat\$3) and pda	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 11:37
S89	917	(install\$5) and configur\$3 and (upgrad\$3 modify\$3 updat\$3) and (input\$4 receiv\$3 enter\$3 send\$3) near2 (e-mail identifier id identification serial) and (automatic\$5 automat\$3) with (install\$5 configur\$3 upgrad\$3 modify\$3 updat\$3) and pda with computer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 11:37
S90	4	(install\$5) and configur\$3 and (upgrad\$3 modify\$3 updat\$3) and (input\$4 receiv\$3 enter\$3 send\$3) near2 (e-mail identifier id identification serial) and (automatic\$5 automat\$3) with (install\$5 configur\$3 upgrad\$3 modify\$3 updat\$3) with pda with computer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 11:39
S91	22	(install\$5) and configur\$3 and (upgrad\$3 modify\$3 updat\$3) and (input\$4 receiv\$3 enter\$3 send\$3) near2 (e-mail identifier id identification serial) and (automatic\$5 automat\$3) with (install\$5 configur\$3 upgrad\$3 modify\$3 updat\$3) same pda with computer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 11:40
S92	176	(install\$5) and configur\$3 and (upgrad\$3 modify\$3 updat\$3) and (input\$4 receiv\$3 enter\$3 send\$3) near2 (e-mail identifier id identification serial) and (automatic\$5 automat\$3) with (install\$5 configur\$3 upgrad\$3 modify\$3 updat\$3) with (device) with computer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 11:43

S93	70	(install\$5) and configur\$3 and (upgrad\$3 modify\$3 updat\$3) and (input\$4 receiv\$3 enter\$3 send\$3) near2 (e-mail identifier id identification serial) and (automatic\$5 automat\$3) with (install\$5 configur\$3 upgrad\$3 modify\$3 updat\$3) with (device) with computer and (identify\$3 retriev\$3 assess\$3 determin\$3) with (available authorized need) with (data resources information software application setting program configur\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/02 11:45
S94	76	(install\$5) and configur\$3 and (upgrad\$3 modify\$3 updat\$3) and (input\$4 receiv\$3 enter\$3 send\$3) near2 (e-mail identifier id identification serial) and (automatic\$5 automat\$3) with (install\$5 configur\$3 upgrad\$3 modify\$3 updat\$3) with (device) with computer and (identify\$3 retriev\$3 assess\$3 determin\$3) with (available authorized need\$3) with (data resources information software application setting program configur\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/11/03 09:19